




HEALTH AND FITNESS

By DR Smart Investments

CATALOG 2024

FIT4GYM - PADDLE



THE PURPOSE OF FIT4GYM HEALTH AND FITNESS IS TO CREATE A HEALTHIER WORLD

FIT4GYM is a company that operates in the sports market with a special focus on fitness equipment and Padel Tennis courts.

Our goal is to help the population increase their levels of sport and consequently their health, based on this we are selling high quality and resistant products. The FIT4GYM Padel Tennis courts comply with all safety standards for practicing this type of sport.

SERIES

PAGES

F4G-P01

1

F4G-P02Q

2

F4G-P03

3

F4G-P04

4

F4G-P05







5








SYNTHETIC GRASS







6








NOTE: The prices of this catalog may change depending on market fluctuations.









Classic 20*10m padle tennis court F4G-P01						Pag.1
Photo	Item	Specification	Finishing	Packing	G.W.(KGS)	FOB Amount (euros/set)
	Column & Mesh	1. Column: Q235 steel square tube 80*80*3mm. 2. Frame: Q235 steel square tube 30*50*3mm 3. Mesh: mesh diameter 4mm,mesh distance 50*50mm	hot dip galvanized +Electrostatic powder coating Color: RAL9017 Black/Green or customized	PE foam	2000	15 500,00 €
	Tempered glass	12mm thickness 2m x 3m, 14 pcs; 2m x 2m, 4 pcs	Custom punched	Plywood box	3000	
	Artificial grass	Monofilament grass Height: 12mm Density: 52500 Gauge: 3/16" Dtex: 8000D Backing: PP+Net 210 square meters	Blue/Green	Woven bag	500	
	LED light	200W 300lux 8 pieces	Black/Grey	PE foam + carton box	60	
	Tennis post with Net	Post: Q235 steel tube 100*50*3mm	Plastic powder and zinc powder coating.	PE foam	30	
	Componets	Cable, rubber pad, Bolts, etc	null	Plywood box	50	
Remarks : we will provide all installation parts of the column and mesh Payment terms: 50% by T/T in advance, the balance before sending Lead time: 30-50 days Validity date: 60 days						

Panoramic 20*10m padle tennis court F4G-P02Q						Pag.2
Photo	Item	Specification	Finishing	Packing	G.W.(KGS)	FOB Amount (euros/set)
	Column& Mesh	1. Column: Q235 steel square tube 4 pcs corner pillar with 100*100*3+14pcs pillar with 100*50*3mm 2. Frame: Q235 steel square tube 30*50*3mm 3. Mesh: 46 pcs mesh with diameter 4mm, mesh distance 50*50mm and framed with curved rod.	hot dip galvanized +Electrostatic powder coating Color: RAL9017 Black/Green or customized	PE foam	1800	15 500,00 €
	Tempered glass	12mm thickness tempered glass 2m x 3m, 18 pcs; 1996*3000mm	Polished edges and countersunk hole	Plywood box	3200	
	Artificial grass	KDK Monofilament curly grass Height: 12mm Density: 52500 Gauge: 3/16" Dtex: 9000D Backing: PP+Net 210 square meters Color: Blue/Green	white lines was tufted in the grass	Woven bag with 3 roller	500	
		Lighting post	4 tubes with 3 meters high, futting with trim and tube up to 6 meters (Z stype and C stype for optional)	Electrostatic powder and zinc powder coating. PE foam	100	
	LED light	200W 300lux 8 pieces	Black/Grey	PE foam + carton box	60	
	Tennis post with Net	Post: Q235 steel tube 100*50*3mm Net: Nylon	Plastic powder and zinc powder coating.	PE foam	30	
	Componets	Cable, rubber pad, Bolts, etc	null	Plywood box	50	
Remarks : we will provide all installation parts of the column and mesh Payment terms: 50% by T/T in advance, the balance before sending. Lead time: 30-50 days Validity date: 60 days						

Full Panoramic 20*10m padel tennis court F4G-P03						Pag.3
Photo	Item	Specification	Finishing	Packing	G.W.(KGS)	FOB Amount (euros/set)
	Column & Mesh	1. Column: Q235 steel square tube without corner pillar, 4pcs pillar with 100*100*3mm and 8pcs pillars with 100*50*3mm 2. Frame: Q235 steel square tube 30*50*3mm 3. Mesh: 46 pcs mesh with diameter 4mm, mesh distance 50*50mm and framed with curved rod.	hot dip galvanized +Electrostatic powder coating Color: RAL9017 Black/Green or customized	PE foam	2000	16 500,00 €
	Tempered glass	12mm thickness tempered glass 2m x 3m, 18 pcs; 1996*3000mm	Polished edges and countersunk hole	Plywood box	3200	
	Artificial grass	KDK Monofilament curly grass Height: 12mm Density: 52500 Gauge: 3/16" Dtex: 9000D Backing: PP+Net 210 square meters Color: Blue/Green	white lines was tufted in the grass	Woven bag with 3 roller	500	
	light post	4 tubes with 3 meters high, futting with trim and tube up to 6 meters (Z stype and C stvpe for optional)	Electrostatic powder coating	PE foam	100	
	Net with pole	Post: Q235 steel tube100*50*3mm	Electrostatic powder coating	PE foam	100	
	Componets	Cable, rubber pad, Bolts, etc	null	Plywood box	50	
Remarks : we will provide all installation parts of the columnn and mesh Payment terms: 50% by T/T in advance, the balance before sending. Lead time: 30-50 days Validity date: 60 days						

Economy Panoramic 20*10m padle tennis court F4G-P04						Pag.4
Photo	Item	Specification	Finishing	Packing	G.W.(KGS)	FOB Amount (euros/set)
	Column & Mesh	1. Colum: Q235 steel square tube 4 double pillars 80x60mm making 160*60mm with 4m height and other 8 pcs mesh frame pillars with 60*80mm 2. Frame: Q235 steel square tube 20*40mm 3. Mesh: 44 pcs mesh with diameter 4mm, mesh distance 50*50mm	hot dip galvanized +Electrostatic powder coating Color: RAL9017 Black/Green or customized	PE foam	1700	15 000,00 €
	Tempered glass	12mm thickness 2m x 3m, 18 pcs;	Polished edges and countersunk hole	Plywood box	3200	
	Lighting post	4 tubes with 3 meters high, consisting of 80*60 tube and futting with trim and tube up to 6 meters (Z stype and C stype for optional)	hot dip galvanized +Electrostatic powder Color: RAL9017 Black/Green or customized	PE foam	100	
	Artificial grass	KDK Monofilament curly grass Height: 12mm Density: 52500 Gauge: 3/16" Dtex: 9000D Backing: PP+Net 210 square meters Color: Blue/Green	white lines was tufted in the grass	Woven bag with 3 roller	500	
	LED light	200W 300lux 4 pieces	Black/Grey	PE foam + carton box	60	
	Tennis post with Net	Post: Q235 steel tube100*50mm Net: Nylon	hot dip galvanized +Electrostatic powder Color: RAL9017 Black/Green or customized	PE foam	30	
	Componets	Cable, rubber pad, Bolts, etc	null	Plywood box	50	
Warranty: 5 Year column no deformation and no color fade Remarks : we will provide all installation parts of the column and mesh Payment terms: 50% by T/T in advance, the balance before sending. Lead time: 30-50 days Validity date: 60 days						

6X10M FULL PANORAMIC PADBOL COURT F4G-P06P						Pag. 5
Photo	Item	Specification	Finishing	Packing	G.W. (KGS)	FOB Amount (euros/set)
	Column & Mesh	1. Colum: Q235 steel square tube 4pcs 60X120X3mm with 4m height. 2. beams: 50*100*3mm	hot dip galvanized +Electrostatic powder coating Color: RAL9017 Black/Green or customized	PE foam	400	12 000,00 €
	12mm thickness Tempered glass	1996mm x 2995mm, 14 pcs; 1000*2000mm 2 pcs	Custom punched	Plywood box	2400	
	Artificial grass	Size: 250x250x13mm Weight: 170g/pc Quantitv: 60M2/960PCS	Blue/Green/RED/ BLUE or Customized	carton	180	
	LED light	200W 300lux 6 pieces	Black/Grey	PE foam + carton box	60	
	Tennis post with Net	Post: Q235 steel tube 100*50*3mm Net: Nylon	Plastic powder and zinc powder coating.	PE foam	30	
	Componets	Cable, rubber pad, Bolts, etc	null	Plywood box	50	
Remarks : we will provide all installation parts of the column and mesh Payment terms: 30% by T/T in advance, the balance before sending. Lead time: 30-50 days Validity date: 60 days						

SYNTHETIC GRASS

Pag.6

DESCRIPTION	PICTURE	SPECIFICATION	Unit Price euros/meters	Warranty	Type
Standard type FX-P12		Dtex:9000D Pile Height:12mm Stitch Rate:25Stitches/10cm (±5%) Gauge: 3/16 inch Density: 52500 Stiches/SQM (±5%) Backing: Black Latex Color: Blue/Green	prices on request	5 years	Standard
FX-P12P		Dtex:9000D Pile Height:12mm Stitch Rate:30Stitches/10cm (±5%) Gauge: 3/16 inch Density: 63000 Stiches/SQM (±5%) Backing: Black PU Color: Blue/Green	prices on request	3 years	PU upgraded model
WPT specification FX-WPT12		Dtex:13500D Pile Height:12mm Stitch Rate:22Stitches/10cm (±5%) Gauge: 3/16 inch Density:46200 Stiches/SQM (±5%) Backing: PU coating Color: Blue/Green	prices on request	5 years	WPT specific ations



Email: drsmartinvestments@gmail.com

Tel: 351 927 236 785